

保护您的家人和财产原运高火灾危险是我们的责任! Protect your family and property far away from conflagration is our responsibility

# MATERIAL SAFETY DATA SHEET 40% Multi-Purpose Dry Chemical (Fire Extinguishing Agent)

С

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product Name40% Multi –Purpose Dry Chemical (Fire Extinguishing Agent)Other Trade NamesABC, Ammonium Phosphate, Monoammonium Phosphate

Manufacturer/Supplier SHANGHAI TENGER MACHINERY CO., LTD

Address Room 605, BOTOP BUSINESS CENTER, No. 2369, East Rongle Rd, Songjiang District, Shanghai,

201612, China.

Phone Number (86)021-37720469
Revision Date: October 15, 2018
MSDS Date: January 15, 2007
This MSDS has been compiled in accordance with – GB:4066, ISO 7202 and EN 615

### 2. COMPOSITION/INFORMATION ON THE COMPONENTS

Component Name	CAS#/Codes	Concentration	R Phrases	EU Classification
Mono-ammonium Phosphate	7722-76-1	40 -43%	None	None
	EC#2317645			
Ammonium Sulphate	7783-20-2	40 -43%	None	None
	EC#2319841			
Amorphous Silica	7631-86-9	10~15%	None	None
	EC#2315454			
Mica	12001-26-2	1~4%	None	None
Clay	8031-18-3	<2%	None	None
Dye	5468-75-7	<0.1%	None	None

### 3. HAZARD IDENTIFICATION

**EU Main Hazards** 

Non Hazardous Powder

**Routes of Entry** 

- Eye contact - Inhalation - Skin contact

Carcinogenic Status
See Section 11 - Toxicity

**Target Organs** 

- Respiratory System - Skin - Eye

**Health Effects - Eyes** 

Contact for short periods of time may cause irritation.

Health Effects - Skin

Contact may cause mild irritation.

**Health Effects - Ingestion** 

Ingestion is not an expected route of exposure.

**Health Effects - Inhalation** 

May irritate the respiratory tract. May cause transient cough and shortness of breath.

### 4. FIRST AID MEASURES

Eves

Immediately flood the eye with plenty of water of warm water for at least 15 minutes, holding the eye open. Obtain medical attention if soreness or redness persists.

Skin

Wash affected area with soap and water. Obtain medical attention if irritation persists.

Ingestion

Dilute by drinking large quantities of water and obtain medical attention.

Inhalation

Move victim to fresh air. Obtain medical attention immediately for any breathing difficulty.

**Advice to Physicians** 

Revision Date: October 15, 2018 Page 1 / 5



#### 保护您的家人和财产原远高火灾危险是我们的责任! Protect your family and property far away from conflagration is our responsibility!

### MATERIAL SAFETY DATA SHEET 40% Multi-Purpose Dry Chemical (Fire Extinguishing Agent)

Treat symptomatically.

### 5. FIRE FIGHTING MEASURES

#### **Extinguishing Media**

This preparation is used as an extinguishing agent and therefore is not a problem when trying to control a blaze. Use extinguishing agent appropriate to other materials involved. Keep pressurized extinguishers and surroundings cool with water spray as they may rupture or burst in the heat of a fire.

#### **Unusual Fire and Explosion Hazards**

Pressurized containers may explode in heat of fire.

#### **Protective Equipment for Fire-Fighting**

Wear full protective clothing and self-contained breathing apparatus as appropriate for specific fire conditions.

### 6. ACCIDENTAL RELEASE MEASURES

Sweep up or vacuum. Prevent skin and eye contact. Wear appropriate protective equipment.

### 7. HANDLING AND STORAGE

Pressurized extinguishers should be properly stored and secured to prevent falling or being knocked over. Do not drag, slide or roll extinguishers. Do not drop extinguishers or permit them to strike against each other. Never apply flame or localized heat directly to any part of the extinguisher or plastic container. Store pressurized extinguishers and plastic containers away from high heat sources.

Storage area should be: - cool - dry - well ventilated - under cover - out of direct sunlight

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Occupational Exposure Standards

Occupational exposure limits are listed below, if they exist.

Mica

ACGIH TLV: 3 mg/m3 TWA, measured as respirable fraction of the aerosol.

OSHA PEL: 20 mppcf, <1% crystalline silica

**Nuisance Dust Limit** 

OSHA PEL: 50 mppcf or 15 mg/m3 TWA, total dust

15 mppcf or 5 mg/m3 TWA, respirable fraction

#### **Engineering Control Measures**

Use with adequate ventilation. There should be local procedures for the selection, training, inspection and maintenance of this equipment. When used in large volumes, use local exhaust ventilation.

### **Respiratory Protection**

Not normally required. Use dust mask where dustiness is prevalent, or TLV is exceeded.

### **Hand Protection**

Not normally needed when used as a portable fire extinguisher. Use gloves if irritation occurs.

#### **Eye Protection**

Chemical goggles or safety glasses with side shields.

**Body Protection** 

Normal work wear.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State Powder
Color Yellow
Odor Odorless
Specific Gravity Not available
Boiling Range/Point (°C/F) Not applicable

Revision Date: October 15, 2018 Page 2 / 5



保护您的家人和财产原远高火灾危险是我们的责任! Protect your family and property far away from conflagration is our responsibility!

### MATERIAL SAFETY DATA SHEET 40% Multi-Purpose Dry Chemical (Fire Extinguishing Agent)

Flash Point (PMCC) (°C/F)Not FlammableSolubility in WaterNot applicableVapor Density (Air = 1)Heavier than air.Vapor PressureNot applicableEvaporation RateNot applicable

### 10. STABILITY AND REACTIVITY

Stability

Stable under normal conditions.

**Conditions to Avoid** 

- Heat - High temperatures - Exposure to direct sunlight

Materials to Avoid

- Strong oxidizing agents - strong acids - sodium hypochlorite

**Hazardous Polymerization** 

Will not occur.

**Hazardous Decomposition Products** 

- oxides of carbon - ammonia - oxides of phosphorus - nitrogen oxides

### 11. TOXICOLOGICAL INFORMATION

**Acute Toxicity** 

Low order of acute toxicity.

Chronic Toxicity/Carcinogenicity

This product is not expected to cause long term adverse health effects.

Mica and clay may contain small quantities of quartz (crystalline silica) as an impurity. Prolonged exposure to respirable crystalline silica dust at concentrations exceeding the occupational exposure limits may increase the risk of developing a disabling lung disease known as silicosis. IARC found limited evidence for pulmonary carcinogenicity of crystalline silica in humans.

Genotoxicity

This product is not expected to cause any mutagenic effects.

Reproductive/Developmental Toxicity

This product is not expected to cause adverse reproductive effects.

### 12. ECOLOGICAL INFORMATION

Mobility

No relevant studies identified.

Persistence/Degradability

No relevant studies identified.

**Bio-accumulation** 

No relevant studies identified.

**Ecotoxicity** 

No relevant studies identified.

### 13. DISPOSAL

Dispose of container in accordance with all applicable local and national regulations. Do not cut, puncture or weld on or near to the container. No harm to the environment is expected from this preparation.

### **14. TRANSPORT INFORMATION**

DOT CFR 172.101 Data
UN Proper Shipping Name
UN Class
UN Number
UN Packaging Group
None
None

Revision Date: October 15, 2018 Page 3 / 5



#### 保护您的家人和财产原远离火灾危险是我们的责任! Protect your family and property far away from conflagration is our responsibility!

### MATERIAL SAFETY DATA SHEET 40% Multi-Purpose Dry Chemical (Fire Extinguishing Agent)

### 15. REGULATORY INFORMATION

### **EU Label Information**

Classification and labelling have been performed according to EU directives 67/548/EEC and 99/45/EC including amendments.

### EU Hazard Symbol and Indication of Danger.

This preparation is not classified as dangerous.

#### R phrases

None

S phrases

None.

## US REGULATIONS (Federal, State) and INTERNATIONAL CHEMICAL REGISTRATION LAWS TSCA Listing

This product contains ingredients that are listed on or exempt from listing on the EPA Toxic Substance Control Act Chemical Substance Inventory.

#### **EINECS Listing**

All ingredients in this product have not been verified for listing on the European Inventory of Existing Commercial Chemical Substances (EINECS) or the European List of New Chemical Substances (ELINCS).

#### DSL/NDSL (Canadian) Listing

All ingredients in this product are listed on the Domestic Substance List (DSL) or the Non-Domestic Substance List (NDSL) or are exempt from listing.

#### **WHMIS Classification**

D2B

This product was classified in accordance with the hazard criteria of the Canadian Controlled Products Regulations and the MSDS contains all the information required by these regulations.

#### MA Right To Know Law

All components have been checked for inclusion on the Massachusetts Substance List (MSL). Those components present at or above the de minimus concentration include: - Mica 1-4% - Amorphous Silica 40 - 49%

#### PA Right To Know Law

This product contains the following chemicals found on the Pennsylvania Hazardous Substance List: - Mica (12001-26-2) 1-4% - Amorphous Silica 40 - 49%

30 - 40%

### NJ Right To Know Law

This product contains the following chemicals found on the NJ Right To Know Hazardous Substance List: - Mica 1-4%

#### California Proposition 65

This product does not contain materials which the State of California has found to cause cancer, birth defects or other reproductive harm.

#### SARA Title III Sect. 302 (EHS)

This product does not contain any chemicals subject to SARA Title III Section 302.

### **SARA Title III Sect. 304**

This product does not contain any chemicals subject to SARA Title III Section 304.

### SARA Title III Sect. 311/312 Categorization

- Immediate (Acute) Health Hazard

#### SARA Title III Sect. 313

This product does not contain any chemicals that are listed in Section 313 at or above de minimis concentrations.

### 16. OTHER INFORMATION

#### NFPA Ratings

NFPA Code for Health - 1

NFPA Code for Flammability - 0

Revision Date: October 15, 2018 Page 4 / 5



#### 保护您的家人和财产原远高火灾危险是我们的责任! Protect your family and property far away from conflagration is our responsibility!

### MATERIAL SAFETY DATA SHEET 40% Multi-Purpose Dry Chemical (Fire Extinguishing Agent)

NFPA Code for Reactivity - 0

NFPA Code for Special Hazards - None

**HMIS Ratings** 

HMIS Code for Health - 1

HMIS Code for Flammability - 0

HMIS Code for Reactivity - 0

HMIS Code for Personal Protection - See Section 8

**Abbreviations** 

N/A: Denotes no applicable information found or available

CAS#: Chemical Abstracts Service Number

ACGIH: American Conference of Governmental Industrial Hygienists

OSHA: Occupational Safety and Health Administration

TLV: Threshold Limit Value PEL: Permissible Exposure Limit STEL: Short Term Exposure Limit NTP: National Toxicology Program

IARC: International Agency for Research on Cancer

R: Risk S: Safety

The information contained herein is based on data believed to be accurate. However, no representation, warranty, or guarantee is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for its own particular use. Tenger Fire Protection assumes no responsibility for personal injury or property damage resulting from use, handling or from contact with this product.

**END** 

Revision Date: October 15, 2018 Page 5 / 5